




**Canon**

Delighting You Always



# A New High In Colour Scanning. **imageFORMULA**



**DR-2010C**  
**DR-2510C**

Experience high-quality colour duplex scanning at the speed of black & white with the **DR-2010C** and **DR-2510C** compact workgroup document scanners! Plus reliable feeding, advanced image processing functions, customizable job buttons and so much more!

Business **Can** be simple

Find out more at [www.canon-asia.com](http://www.canon-asia.com)



# ULTIMATE SPEED, PERFORMANCE, DELIVERED FROM A FLEXIBLE, STR


The **DR-2010C** and **DR-2510C** are compact workgroup document scanners offering fast, high-quality colour duplex scanning at the same speed as in black and white plus a host of efficiency-boosting features that are easy to use. The scanner is available in two versions – the 20 ppm (40 ipm)\* **DR-2010C** in white with blue trim, and the 25 ppm (50 ipm)\* **DR-2510C** in white with gray trim. In addition, the **DR-2510C** is equipped with Ultrasonic Double Feed Detection.

\*A4/LTR, B&W/Colour, 200/300dpi

## Versatile, space-saving design

### Compact footprint scanner

The scanner's small footprint and versatile tray design make it ideal for use on desktops and countertops, and anywhere with space constraint. The three-way design allows the scanner to be used with the built-in eject tray closed, opened, or half opened with stopper (for card-size documents, not shown) to suit your workspace.




### Handles a wide variety of documents

Canon's newly designed paper path ensures smooth scanning of a wide variety of document types, including thick documents, multi-sheet forms, driver licenses, and embossed plastic cards. Using the Folio function, you can scan even larger documents up to A3/11" x 17" in size.



Card Scanning



Folio mode



## Fast, high-quality scanning

### Fast scanning – even in colour

Thanks to a new and improved CMOS contact image sensor, colour documents can be scanned just as quickly as black and white ones, and double-sided documents can be scanned in one pass as fast as single-sided pages. The **DR-2010C** offers a top speed of 20 ppm / 40 ipm, and the **DR-2510C** achieves 25 ppm / 50 ipm. Both feature an automatic document feeder that holds up to 50 sheets for efficient batch scanning.



Fast colour scanning at the same speed as in B & W.  
(A4/LTR, 200/300dpi, simplex/duplex)

### Superior Canon image quality

The scanner delivers high-quality images in diverse formats such as searchable PDF at up to 600 dpi optical resolution. Three-dimensional Colour Correction offers pinpoint colour matching to produce images that are true to the original document. And diverse image processing functions are available to optimise the readability of difficult-to-scan documents, such as those with light coloured text or patterned backgrounds.

a day, 365 days a year!			a day, 365 days a year!			a day, 365 days a year!		
Pickup Site:	Company Name	Account No.	Pickup Site:	Company Name	Account No.	Pickup Site:	Company Name	Account No.
E2B SYSTEMS	E2B SYSTEMS	E2B SYSTEMS	E2B SYSTEMS	E2B SYSTEMS	E2B SYSTEMS	E2B SYSTEMS	E2B SYSTEMS	E2B SYSTEMS
Address	Address	Address	Address	Address	Address	Address	Address	Address
1234 VALENCE BLVD.	1234 VALENCE BLVD.	1234 VALENCE BLVD.	1234 VALENCE BLVD.	1234 VALENCE BLVD.	1234 VALENCE BLVD.	1234 VALENCE BLVD.	1234 VALENCE BLVD.	1234 VALENCE BLVD.
City, State, Zip	City, State, Zip	City, State, Zip	City, State, Zip	City, State, Zip	City, State, Zip	City, State, Zip	City, State, Zip	City, State, Zip
CANONVILLE, CA 92737	CANONVILLE, CA 92737	CANONVILLE, CA 92737	CANONVILLE, CA 92737	CANONVILLE, CA 92737	CANONVILLE, CA 92737	CANONVILLE, CA 92737	CANONVILLE, CA 92737	CANONVILLE, CA 92737
Ordered by (name)	Phone Number	Phone Number	Ordered by (name)	Phone Number	Phone Number	Ordered by (name)	Phone Number	Phone Number

Original


Off

On

Advanced Text Enhancement II mode

### Reliable document feeding

Canon's reliable page separation mechanism ensures smooth paper feeding for worry-free scanning. For extra protection against double feeds, the **DR-2510C** is equipped with ultrasonic sensors that detect and prevent overlapping pages from being fed into the scanner at the same time.



Ultrasonic Double Feed Detection, available in DR-2510C

# AND EASE OF USE EAMLINED DESIGN



**imageFORMULA  
DR-2010C**

- 20 ppm / 40 ipm



**imageFORMULA  
DR-2510C**

- 25 ppm / 50 ipm
- Ultrasonic Double Feed Detection



## Easy to use

### Job buttons for one-touch scanning

Assign routine scan tasks to three customizable job buttons for quick and easy scanning. Job buttons offer one-touch access to functions such as Scan to Email and Scan to Folder – plus all relevant scan settings.




3 customizable one-touch job buttons

### Automatic Colour Detection

The scanner is equipped with Automatic Colour Detection for easy scanning of mixed batches. This mode eliminates the need to separate black and white and colour documents prior to scanning and helps keep image file sizes to a minimum by saving images in the appropriate format.

### Image processing functions for effortless batch scanning

Scan unsorted batches with ease using efficiency-boosting image processing functions such as Automatic Page Size Detection, Skip Blank Page, Deskew, Text Orientation Recognition, and more.



This blank page gets omitted from the image file.

Skip Blank Page function

### Auto power on/off

The new auto power feature contributes to energy efficiency and prevents the scanner from being accidentally left on. When power is switched to AUTO, the scanner turns on/off automatically, depending on the status of the connected PC. Manual on/off is also available.

## Bundled Software

### Capture Perfect

CapturePerfect is Canon's own scanning application that makes it easy to get great scans straight out of the box. Through a user-friendly interface, the software gives you a wide choice of file-saving formats and file distribution options such as searchable and encrypted PDF, Scan to Mail, Scan to Presentation, and more.

### ADOBE® ACROBAT® 8 STANDARD

The industry's leading application for the creation of PDF files, Adobe Acrobat features robust tools for document sharing and security, file commenting, and much more.

SCANSOFT

### PaperPort<sup>SE</sup>

PaperPort, a file management application renowned for its intuitive and user-friendly graphic user interface, makes it easy to store, organize and retrieve your digital documents.

### OmniPage<sup>4</sup> **SE**

OmniPage converts original paper documents into editable electronic files through OCR.

Presto!

### BizCard<sup>5</sup>


Presto! BizCard Reader lets you scan business cards to convert and organize important contact information into a searchable database.

In addition to the above applications, the DR-2010C and DR-2510C can be used with wide varieties of ISIS- or TWAIN-based scanning software available in the market.



# SPECIFICATIONS

## imageFORMULA



**DR-2010C**  
**DR-2510C**

Type	Desktop sheetfed scanner
Document feeding	Automatic or manual sheet feeding
Document size	Width: 50 – 216 mm (1.97 – 8.5 in.) Length: 53.9 – 356 mm (2.12 – 14.0 in.)
Document thickness and weight	Automatic feeding: 0.06 – 0.15mm, 52 – 128 g/m <sup>2</sup> (14 – 32 lb bond) Manual feeding: 0.05 – 0.20 mm, 40 – 157 g/m <sup>2</sup> (11 – 40 lb bond)
Card size and thickness	Size: 53.9 x 85.5 mm (2.12 x 3.37 in.) Thickness: no more than 0.76 mm (0.03 in.), cards with embossed letters are supported
Feeding capacity	50 high-quality sheets, or stacks no thicker than 5 mm (including curls)
Scanning element	1-line CMOS CIS
Light source	LED (red, green and blue)
Scanning side	Simplex / Duplex / Skip Blank Page / Folio
Scanning modes	Black and White, Error Diffusion, Text Enhancement (two types) 256-level Grayscale 24-bit Colour
Scanning Resolutions	100 x 100 dpi, 150 x 150 dpi, 200 x 200 dpi, 240 x 240 dpi, 300 x 300 dpi, 400 x 400 dpi, 600 x 600 dpi
Scanning speed* (A4/LTR, Portrait, 200 dpi)	Black and White DR-2010C: 20 ppm (Simplex) / 40 ipm (Duplex), DR-2510C: 25 ppm (Simplex) / 50 ipm (Duplex) 256-level Grayscale DR-2010C: 20 ppm (Simplex) / 40 ipm (Duplex), DR-2510C: 25 ppm (Simplex) / 50 ipm (Duplex) 24-bit colour DR-2010C: 20 ppm (Simplex) / 40 ipm (Duplex), DR-2510C: 25 ppm (Simplex) / 50 ipm (Duplex)
Useful functions	Ultrasonic Double Feed Detection (DR-2510C only), Auto Colour Detection, Moire Reduction, Prevent Bleed Through / Remove Background, User Registration, Advanced Text Enhancement, Skip Blank Page, Prescan, Auto Paper Size Detection, Deskew, Batch Separation, Text Orientation Recognition, Edge Emphasis, Preset Gamma Curve, Colour Dropout (R/G/B), Colour Enhancement (Red)
Interface	Hi-speed USB 2.0
Software	ISIS/TWAIN Driver, Job Registration Tool, CapturePerfect 3.0, Adobe Acrobat 8.0 Std, PaperPort SE, OmniPage SE, Biz Card Reader
Power requirements	AC100 – 240V (50/60 Hz)
Power consumption	Scanning: 16W, Sleep mode: 2.2W, Power Turned Off: less than 0.5W
Operating environment	10 – 32.5°C (50 – 90.5°F), Humidity: 20 – 80% RH
Dimensions (W x D x H)	298 x 160 x 160 mm (11.7 x 6.3 x 6.3 in.), with feed trays closed
Weight	Approx. 2.4 kg (5.3 lb.), excluding AC adapter
Optionals/Consumables	Exchange Roller Kit (Feed Roller, Retard Roller, Paper Support Guide)

### Easy Maintenance

The DR-2010C and DR-2510C are durable and easy to keep in top scanning condition. A user-installable Exchange Roller Kit (sold separately) is available for replacing worn rollers – no service technician is required.



ENERGY STAR and the ENERGY STAR mark are registered U.S. trademarks. Other company names and product names appearing in this brochure are the registered trademarks and/or trademarks of their respective owners.

The Canon DR-2010C and DR-2510C conform to ENERGY STAR standards for energy efficiency.

# Canon

Delighting You Always

DEALER'S STAMP

\*Actual scanning speed may vary depending on your system configuration and PC. Specifications are subject to change without notice.

## Canon's Asia Pacific Network

### ASIA PACIFIC

Canon Singapore Pte Ltd  
1 HarbourFront Avenue #04-01  
Keppel Bay Tower  
Singapore 098632  
Tel: (65) 6799 8888  
Fax: (65) 6799 8882  
www.canon-asia.com

### BANGLADESH

Flora Limited  
Adamjee Court Annex-2, 4th Fl.  
119-120, Motijheel Commercial Area  
Dhaka-1000, Bangladesh  
Tel: 9567846, 7162742-46 Ext-225  
Fax: 880-2-9550030  
www.floralimited.com

J.A.N. Associates Ltd  
13/1, Fatema Arcade (2nd Floor)  
Road 5, Dhanmondi  
Dhaka-1205, Bangladesh  
Tel: (880) 2 8611444 / 9660601 / 9664101/8124941  
Fax: (880) 2 8610410  
jan@bangla.net  
jan-mkt@global-bd.net

### BRUNEI

Interhouse Company  
P.O. Box 423, Seri Complex BA1779,  
No. 5-7, Bunut Jaya Complex  
Spg. 574, Km 7 1/4, Jalan Tutong  
Bandar Seri Begawan BF1320  
Negara Brunei Darussalam  
Tel: (673) 2 653001  
Fax: (673) 2 653003  
www.ihc.com.bn

### CAMBODIA

Royal Cambodia Co Ltd  
#437 Preah Monivong Blvd  
Phnom Penh  
Kingdom of Cambodia  
Tel: (855) 23 428 955  
Fax: (855) 23 722 961  
www.royalgroup.com.kh  
rccan@royalgroup.com.kh

### INDIA

Canon India Pvt Ltd  
2nd Floor, Tower A & B  
Cyber Greens, DLF Phase III  
Gurgaon - 122022 Haryana, India  
Tel: (91) 124 416 0000  
Fax: (91) 124 416 0011  
www.canon.co.in

### INDONESIA

PT Datacrip  
Kawasan Niaga Selatan Blok B-15  
Bandar Kemayoran  
Jakarta 10610  
Indonesia  
Tel: (62) 21 6544515  
Fax: (62) 21 6544811 to 13  
www.datacrip.com

### MALAYSIA

Pericom Imaging (Malaysia) Sdn Bhd  
No. 4 Jalan Anggerik Vanilla M31/M,  
Kota Kemuning Seksyen 31,  
40460 Shah Alam, Selangor Darul Ehsan  
Malaysia  
Tel: (60) 3 5124 8133  
Fax: (60) 3 5124 9133

### MALDIVES

SIMDI Office Automation / SIMDI Company Pvt Ltd  
G.Faith, Majeedhee Magu, 20-139, Male',  
Maldives  
Tel: (960) 333 4421  
Fax: (960) 333 4424  
www.simdi.com  
ramieze@simdi.com

### MYANMAR

Accel International Co Ltd  
FJV Commercial Centre  
Level 6, No 422 – 426  
Strand Road Botataung Township  
Yangon, Myanmar  
Tel: (95) 1 202092 to 96  
Fax: (95) 1 202079

### NEPAL

International Electronics Concern Pvt Ltd  
Kha 14 1st Floor Haratibhawan Putalisadak  
Ramshah Path, Kathmandu, P.O. Box 12588  
Tel: (977) 1 4421991  
Fax: (977) 1 4421909

### PAKISTAN

Shirazi Trading Co (Pvt) Ltd  
8th Floor, Adamjee House  
II, Chundrigar Road  
Karachi, Pakistan  
Tel: (92) 21 2417659/2417737  
Fax: (92) 21 2417747/2420417/2420418  
www.shirazitrading.com.pk

### PHILIPPINES

Canon Marketing (Philippines), Inc.  
Marvin Plaza Building  
2153 Don Chino Rocas Avenue  
Makati City, Philippines  
Tel: (63) 2884 9000  
Fax: (63) 2812 0067  
www.canon.com.ph  
info@canon.com.ph

### SINGAPORE

Pericom Imaging (Singapore) Pte Ltd  
50 Bukit Batok St. 23 #07-19, Midview Building  
Singapore 659578  
Tel: (65) 6562 3756  
Fax: (65) 6563 7705  
sinsales@pericomimaging.com

### SRI LANKA

Metropolitan Computers (Pvt) Ltd  
85 Braybrooke, Place Colombo 2, Sri Lanka  
Tel: (94) 1 2437797  
Fax: (94) 1 2448980  
www.metropolitan.lk

### THAILAND

Canon Marketing (Thailand) Co Ltd  
9th-10th Fl., 179/34-45 Bangkok City Tower  
South Sathorn Road  
Thungmahamek, Sathorn, Bangkok 10120  
Tel: (66) 2 344 9999  
Fax: (66) 2 344 9960  
www.canon.co.th  
info@canon.in.th

### VIETNAM

Canon Singapore Pte Ltd  
Ho Chi Minh City Representative Office  
Unit 437 - 439 - 441  
Hai Ba Trung Street, Ward 8  
District 3, Ho Chi Minh City, Vietnam  
Tel: (84) 8 820 0466  
Fax: (84) 8 820 0477  
www.canon.com.vn  
cvro\_enq@canon.com.sg

### VIETNAM

Canon Singapore Pte Ltd  
Hanoi Representative Office  
Unit 601 & 602  
Viet Au Building, 205 Giang Vo Street  
Dong Da District, Hanoi, Vietnam  
Tel: (84) 4 512 1033  
Fax: (84) 4 512 1022  
www.canon.com.vn  
cvro\_enq@canon.com.sg